UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/724,787	12/01/2003	Gianluca Paladini	2002P19673 US01	1913

7590   12/11/2007

Siemens Corporation
Intellectual Property Department
170 Wood Avenue South
Iselin, NJ 08830

EXAMINER
RICHER, AARON M

ART UNIT	PAPER NUMBER
2628	

MAIL DATE	DELIVERY MODE
12/11/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)
Office Action Summary		10/724,787	PALADINI, GIANLUCA
		Examiner	Art Unit
		Aaron M. Richer	2628

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☐ Responsive to communication(s) filed on _____.

2a)☐ This action is **FINAL**.   2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) <u>1-27</u> is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) <u>1-7,9,11-20,22 and 24-27</u> is/are rejected.

7)☒ Claim(s) <u>8,10,21 and 23</u> is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _12-04_

4)☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.

5)☐ Notice of Informal Patent Application

6)☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1.   The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

> A person shall be entitled to a patent unless –
>
> (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2.   Claims 1, 3, 5, 11, 14-16, 18, 24, and 26 are rejected under 35 U.S.C. 102(e) as being anticipated by Halmann (U.S. Patent 6,526,163).

3.   As to claim 1, Halmann discloses a system for scan converting ultrasound data from an acquisition format to a display format, the system comprising:

a look-up table having values corresponding to a spatial conversion from the display format to the acquisition format (col. 7, lines 54-57; a number of scan conversion tables are generated);

and a processor operable to identify acquired ultrasound data as a function of the values and operable to interpolate display values from the identified acquired ultrasound data (col. 8, line 52-col. 9, line 4).

4.   As to claim 3, Halmann discloses a system wherein the processor is operable to determine display coordinates of interest (col. 8, lines 4-9; an area of interest is defined and polar coordinates are defined from this area) and identify the acquired ultrasound data by inputting the display coordinates of interest into the look-up table (col. 7, lines

col. 7, lines 54-57; col. 8, line 52-col. 9, line 4; the process of scan conversion finds

ultrasound data coordinates for display coordinates by converting from polar to

Cartesian).

5.   As to claim 5, Halmann discloses a system wherein the acquired ultrasound data

represents a volume in the acquisition format, wherein the processor is operable to

determine display coordinates for a plurality of rays through the volume as the display

coordinates of interest (col. 5, lines 35-40; a volume rendering/raycasting module

produces an image for display, which must include determination of display

coordinates);

        further comprising a display operable to display a two-dimensional image of a

Volume Rendering of at least a portion of the volume in the display format with the

display values (fig. 1, element 16; col. 5, lines 35-40).

6.   As to claim 11, Halmann discloses a system wherein the processor comprises a

graphics processing unit (col. 8, line 52-col. 9, line 4; Halmann discloses a number of

CPUs set up for scan conversion; since this is a graphics operation, the CPUs read on

graphic processing units).

7.   As to claim 14, Halmann discloses a method for scan conversion of ultrasound

data from an acquisition format to a display format, the method comprising:

        (a) identifying acquisition format coordinates with display format coordinates

indexed to a look-up table (col. 8, lines 3-9; col. 7, lines 54-57; polar coordinates are

acquired and changed to display, or Cartesian, coordinates via a lookup table);

(b) interpolating acquisition format coordinates stored in the look-up table (col. 7, lines 54-57; col. 8, line 52-col. 9, line 4);

and (c) interpolating display values from acquired ultrasound data based on the acquisition format coordinates determined in (b) (col. 7, lines 54-57; col. 8, line 52-col. 9, line 4; interpolation takes place to map the acquisition, or polar coordinates, to display, or Cartesian coordinates).

8.   As to claim 15, Halmann discloses a method wherein (a) comprises: (a1) inputting Cartesian coordinates into the look-up table; and (a2) outputting Polar coordinates interpolated from the look-up table in response to (a1) (col. 7, lines 54-57; col. 8, line 52-col. 9, line 4; the process of scan conversion involves a polar to Cartesian conversion via lookup table and interpolation).

9.   As to claim 16, see the rejection to claim 3.

10.   As to claim 18, see the rejection to claim 5.

11.   As to claim 24, Halmann discloses generating the look-up table as a function of a spatial relationship of a display format with user configured acquisition parameters (col. 7, lines 54-59; tables generated are dependent on a selected mode of operation; col. 3, lines 59-62 states that this mode is determined by a user and col. 5, line 51-58 states that the mode determines acquisition parameters).

12.   As to claim 26, Halmann discloses a system wherein (d) comprises generating a two-dimensional look-up table with acquisition format coordinates for each coordinate of a Cartesian volume (col. 7, lines 54-57; col. 8, line 52-col. 9, line 4; a lookup table for

Cartesian coordinates would have to use at least x and y coordinates, inherently making

it a 2-dimensional lookup table).

Claim Rejections - 35 USC § 103

13.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

14.   Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Halmann

in view of Zar ("A Scan Conversion Engine for Standard B-Mode Ultrasonic Imaging").

15.   As to claim 2, Halmann discloses values comprising polar coordinates and

lookup table entries indexed by Cartesian coordinates (col. 7, lines 54-57; col. 7, lines

54-57), but does not expressly disclose a processor operable to bilinearly interpolate

from the look-up table values using fractional offsets of Cartesian coordinates. Zar,

however, discloses a bilinear interpolation using fraction offsets of Cartesian

coordinates (p. 1, Introduction) to be able to convert to polar using a lookup table (p. 2,

LUTs and Constant LUTs sections). The motivation for using this system is to

accomplish scan conversion at a very low cost (p. 1, Abstract). It would have been

obvious to one skilled in the art to use bilinear interpolation and LUTs to convert polar to

Cartesian coordinates in order to reduce cost as taught by Zar.

16.   Claims 4 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Halmann in view of Hossack (U.S. Patent 6,352,511).

17.   As to claim 4, Halmann discloses a system wherein the acquired ultrasound data

represents a volume in the acquisition format (col. 5, lines 35-40) and also a system

comprising a display operable to display a two-dimensional image representing the

plane in the display format with the display values (fig. 1, element 16). Halmann does

not disclose a system wherein the processor is operable to determine display

coordinates for a plane through the volume as the display coordinates of interest.

Hossack, however, discloses a system that allows for display of an arbitrary 2-

dimensional plane through a 3-dimensional volume (col. 17, lines 4-11). The motivation

for this is to allow the ultrasound image to better act as a diagnostic aid (col. 16, lines

50-57). It would have been obvious to one skilled in the art to modify Halmann to

determine display coordinates for a plane through a volume in order to better diagnose

a patient as taught by Hossack.

18.   As to claim 17, see the rejection to claim 14. Hossack further discloses

displaying a two-dimensional MPR image representing the plane in the display format

as a function of the display values (col. 17, lines 4-11).

19.   Claims 6 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Halmann in view of Okerlund (U.S. Patent 6,690,371)

20.   As to claim 6, Halmann does not disclose a system wherein each of the display

values is a function of an alpha blending of a plurality of acquired ultrasound data

values and wherein the processor is operable to limit a number of acquired ultrasound

data values blended as a function of a threshold such that scan conversion of other

acquired ultrasound data values is avoided. Okerlund, however, discloses alpha

blending ultrasound data values (col. 7, lines 4-19; RGBA values are used to blend),

and limiting the number of values blended to a "decimated" volume (fig, 13; col. 11,

lines 8-35) with a threshold of less than a full volume. The motivation for this is to more

rapidly render an image volume (col. 11, lines 8-10). It would have been obvious to one

skilled in the art to modify Halmann to use a threshold to ensure only some ultrasound

data is blended in order to reduce time taken to display as taught by Okerlund.

21.   As to claim 19, see the rejection to claim 6.

22.   Claims 7 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Halmann in view of Drebin (U.S. Patent 4,835,712).

23.   As to claim 7, Halmann does not disclose a system comprising an RGBA look-up

table addressed by the display values, the RGBA look-up table operable to output an

RGBA value corresponding to the display value. Drebin, however, discloses a system

that inputs monochrome display values to a lookup table and outputs RGBA values for

those values (col. 7, lines 44-62). The motivation for this is to simulate an image

illuminated by one or more sources of light (col. 2, lines 4-24). It would have been

obvious to one skilled in the art to modify Halmann to use a lookup table to convert

between display values and RGBA values in order to simulate an image illuminated by

one or more sources of light as taught by Drebin.

24.   As to claim 20, see the rejection to claim 7.

25.   Claims 9 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Halmann in view of Swerdloff (U.S. Patent 5,483,567).

26.   As to claim 9, Halmann does not disclose a system wherein the look-up table

values correspond to the spatial conversion from the display format to the acquisition

format for at least one acquisition plane; further comprising an additional look-up table

corresponding to spatial conversion from the display format to the acquisition format

across multiple acquisition planes. Swerdloff, however, discloses a system wherein a

change in relationship between polar and Cartesian voxels, such as a change when

changing an acquisition plane, necessitates creation of another lookup table (col. 9,

lines 6-25). This is motivated by the fact that the current lookup table will no longer be

accurate (col. 9, lines 19-25). It would have been obvious to one skilled in the art to

modify Halmann to use an additional lookup table when multiple acquisition planes are

used in order to have an accurate lookup table as taught by Swerdloff.

27.   As to claim 22, see the rejection to claim 9.

28.   Claims 12, 13, and 25 is rejected under 35 U.S.C. 103(a) as being unpatentable

over Halmann.

29.   As to claim 12, Halmann does not disclose a system wherein the look-up table

values each comprise a set of two fixed-point values, one Boolean Flag, and one

Integer Sum, the two fixed-point values being Polar coordinates. These, however, are

all arbitrary classes of variables and there is no disclosed criticality to them in

applicant's specification. The choosing of these particular classes of variables appears

to be a matter of design choice. One skilled in the art would expect the invention of

Halmann to work equally well with various other types of variables, such as integers,

floating point variables, etc.

30.   As to claim 13, Halmann does not expressly disclose a system wherein a

Boolean Flag indicates whether the set corresponds to a location outside of a scanned

region. However, Official Notice has been taken of the fact that setting a variable for

when data is in or out of a range is well-known in the art (see MPEP 2144.03). It would

have been obvious to one skilled in the art to modify Halmann to set a variable when

data is out of range in order to communicate this error to other parts of a computing

system.

31.   As to claim 25, see the rejection to claim 13.

32.   Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over

Halmann in view of Edic (U.S. Publication 2004/0136490).

33.   As to claim 27, Halmann does not disclose a method further comprising: (d)

Volume Rendering as a function of the display values as a function of time. Edic,

however, discloses a method of volume rendering in which the motion of a volume over

time is depicted (p. 4-5, section 0045). The motivation for this is to represent a cycle,

such as a cardiac cycle (p. 4-5, section 0045). It would have been obvious to one

skilled in the art to modify Halmann to volume render using display values as a function

of time in order to represent a cardiac cycle as taught by Edic.

Conclusion

34.   Claims 8, 10, 21, and 23 are objected to as being dependent upon a rejected

base claim, but would be allowable if rewritten in independent form including all of the

limitations of the base claim and any intervening claims.

35.   Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Aaron M. Richer whose telephone number is (571) 272-

7790. The examiner can normally be reached on weekdays from 8:30AM-5:00PM.

        If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Kee Tung can be reached on (571) 272-7794. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

        Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AMR
12/10/07

KEE M. TUNG
SUPERVISORY PATENT EXAMINER